



Kkalpana Industries (India) Limited

Date: 02nd September, 2020.

To,
The Manager,
Listing Department,
Bombay Stock Exchange Limited (Designated Stock Exchange),
PJ Towers, Dalal Street,
Mumbai - 400 001.

Fax: 022 - 2272 3121/2037/39/41/61/1072

Sub: Notice of Board Meeting (02nd of 2020-21).

Dear Sir,

We hereby inform you, pursuant to Regulation 29(1) read with Regulation 29(2) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, that the 02nd of 2020-21 meeting of Board of Directors of the Company will be held on Monday, the 14th day of September, 2020 at 3:30 P.M. at its Registered Office at 2B, Pretoria Street, Kolkata-700 071, inter-alia, to consider, approve and take on record the Unaudited Financial Results (Standalone & Consolidated) of the company for the quarter ended 30th June, 2020, pursuant to Regulation 33 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015

Further, as per our letter dated 30th June, 2020, the trading window, for dealing in equity shares of the Company, is closed for all directors, executives one level below the Board and designated persons with effect from 01st July, 2020 and shall remain closed upto 16th September, 2020 (both days inclusive), in terms of SEBI (Prohibition of Insider Trading) Regulations, 2015 read with Code of Conduct to regulate, monitor and report trading by insiders framed by the Company.

Thanking You,

Yours faithfully,

For Kkalpana Industries (India) Limited

Tanvi Panday

**Tanvi Panday (Membership No. ACS 31176)
Company Secretary**



CC:-

1. The Calcutta Stock Exchange Limited, 7, Lyons Range, Calcutta - 700 001.

Regd. Office : 2B, Pretoria Street, Kolkata - 700 071

Tel. : +91-33-2282 3744/45/3671/99, Fax : +91-33-2282 3739, E-mail : kolkata@kkalpana.co.in

Mumbai Office : 106, Laxmi Plaza, Laxmi Industrial Estate, New Link Road, Andheri (West), Mumbai - 400 053, India
Tel.: +91-22-67021470/71/72, Fax : +91-22-6702 1473 E-mail : mumbai@kkalpana.co.in

www.kkalpanagroup.com

CIN : L19202WB1985PLC039431