

_N. _N.



Misquita Engineering Ltd Annual Report 2021-2022



14. All documents referred to in the accompanying notice will be available for inspection at the corporate office of the company during business hours on all working days up to the date of declaration of the result of the 24th ACM of the 7 or warm.

NA 200

Misquita Engineering Ltd Annual Report 2021-2022



a) For	Members	who	hold	shares	in	demat	8 Character DP ID followed by 8 Digit Client ID
							For example if your DP ID is IN300*** and Client ID is
							12***** then your user ID is IN300***12*****.
b) For	Members	who	hold	shares	in	demat	16 Digit Beneficiary ID
account with CDSL.							
							For example if more Deneficional Dia 10 tttttttttttttt

Misquita Engineering Ltd Annual Report 2021-2022



General Guidelines for shareholders

1. Institutional shareholders (i.e. other than individuals, HUF, NRI etc.) are required to send scanned copy (PDF/IPG Format) of the relevant Roard Resolution / Authority letter etc. with the relevant Roard Resolution / Authority letter etc.



THE LAND TO SEPTEMBERS OF THE PROPERTY OF THE



MISQUITA ENGINEERING LIMITED CIN: L74210GA1998PLC002537

Registered Address: 182/1 Vaiginim Vaddo Nachinol Aldona North Goa 403508. Tel: +91-22-40101293

Website: www.misquitaengg.com Email: info@misquitaengg.com

ATTENDANCE SLIP

TO BE COMPLETED AND HANDED OVER AT THE ENTRANCE OF THE MEETING

Name and Address of Shareholder	Folio No.
No. of Shares	Client ID

I hereby record my presence at the 24th Annual General Meeting of the Company on Friday, the 30th day of September, 2022 at 4.30 pm at Dina Banquet Hall, Hotel Miramar, Near Kamat Kinara, Caranzalem Goa. 403002.

Circumotry no of the City of photogram



MISQUITA ENGINEERING LIMITED CIN: L74210GA1998PLC002537

Registered Address: 182/1 Vaiginim Vaddo Nachinol Aldona North Goa 403508. Tel: +91-22-40101293

Website: www.misquitaengg.com Email: info@misquitaengg.com

PROXY FORM

Name of the Member(S):



MISQUITA ENGINEERING LIMITED CIN: L74210GA1998PLC002537



O This Form should be completed and