

STAR CEMENT LIMITED
(Formerly CEMENT MANUFACTURING COMPANY LTD)

Date:- 08.01.2020

The Listing Department,
National Stock Exchange of India Limited
Exchange Plaza, C-1, Block-G
Bandra Kurla complex, Bandra-East
Mumbai-400 051
Stock code: STARCEMENT

BSE Limited
Phiroze Jeejeebhoy Towers
Dalal Street
Mumbai-400 001
Stock code: 540575

Dear Sir(s),

Sub: Intimation regarding Issue of Duplicate Share Certificate

Further to our letter dated 06.09.2019, please find enclosed the intimation letter dated January 07, 2020, received from our RTA - Maheshwari Datamatics Private Limited alongwith postal receipt, providing information regarding issue of duplicate share certificate to the shareholder of the Company.

This information is being submitted pursuant to the provisions of Regulation 39(3) of the SEBI (Listing Obligations & Disclosure Requirements) Regulations, 2015.

This is for your information and record.

Thanking you,

Yours faithfully,
For Star Cement Limited

X

Debabrata Thakurta
Company Secretary
Signed by: THAKURTA DEBABRATA

Debabrata Thakurta
(Company Secretary)

Encl. as stated



STAR CEMENT
Solid Setting

Regd. Office & Works : Lumshnong, P.O.- Khaliehriat, Dist.- East Jaintia Hills, Meghalaya- 793 210, Ph: 03655-278215/16/18, Fax: 03655-278217, e-mail: lumshnong@starcement.co.in
Works : Gopinath Bordoloi Road, Village - Chamatapathar, District - Kamrup (M), Guwahati - 782 402, Assam, e-mail : ggu@starcement.co.in
Guwahati Office : Mayur Garden, 2nd Floor, Opp. Rajiv Bhawan, G.S. Road, Guwahati - 781 005, Assam, Ph: 0361-2462215/16, Fax: 0361-2462217, e-mail: guwahati@starcement.co.in
Delhi Office : 281, Deepali, Pitampura, Delhi-110 034. Ph: 011 - 2703 3821/22/27, Fax: 011 - 2703 3824, e-mail: delhi@starcement.co.in
Kolkata Office : 3, Alipore Road, Satyam Towers, 1st Floor, Unit No. 9B, Kolkata - 700 027, Ph: 033-2448 4169/4170, e-mail: kolkata@starcement.co.in
Durgapur Office : C/O - Ma Chandi Durga Cements Ltd., Bamunara Industrial Area, P.O.- Bamunara, P.S.- Kanksha, Dist. Burdwan, West Bengal - 713 212
Siliguri Office : MLA House, 3rd Floor, above Reliance Trend Showroom, Sevak Road, Siliguri - 734 001, Ph: 0353-2643611/12

AN ISO 9001, ISO 14001 & OHSAS 18001 CERTIFIED COMPANY

CIN NO. L26942ML2001PLC006663



MAHESHWARI & CO.

Regd. Office : 23, R. N. Mukherjee Road, 5th Floor
Fax : (033) 2248-4787, E-mail : info@mdpl.in, mdpldc@mdpl.in

Ref. No. : MDPL/CMOL/DUP/195

Mrs. Gita Tiwari

D/110, III, Adarsh Apartment

Upper Ground Floor, Krishna Park

Delhi, Khanpur

Delhi - 110062

Dear Sir(s) / Madam,

This refers to your letter No. _____ dated _____ and we would like to advise you as follows :

1. Action is being taken in your matter and we would revert to you on the subject shortly.
2. We have registered the _____ under Serial No (s) _____ dated _____ and the original / copy thereof is being returned herewith/retained by us.
3. We have noted your Mandate/Change of address/details of Bank Account, which will remain operative till further notice.
4. We enclose:
 - (i) Pay Order / Dividend Warrant No. (s) _____ dated _____ for the year _____ for Rs. _____ respectively duly re-validated. This is / These are duplicate (s) issued in lieu of original (s) thereof.
 - (ii) Duplicate Share Certificate No. (s) 657 duly transmitted for 1775 shares.
 - (iii) Share Certificate No (s) _____ duly corrected / transmitted / sub-divided consolidated / endorsed / replaced / rematted / split.
5. Your Dividend / Pay Order(s) _____ dated _____ for the year _____ was/were returned undelivered. The said instrument is / are enclosed which is / are within the validity period.
6. Our cover containing the _____ was sent by _____ has not been returned undelivered till date by the postal Authority Registration No. _____ dated _____.
7. The Document (s) mentioned in v

Kindly acknowledge the receipt.

RW295082060IN IVR:8287295082060
RL KOLKATA GPO <700001>
Counter No:15,07/01/2020,13:46
To:GITA TIWARI,,
PIN:110062, Pushpa Bhawan SO
From:MAHESHWARI D,23 R. N. MUKHERJ
Wt:20gms
Amt:0.00(Cash)FM:22.00
<Track on www.indiapost.gov.in>



186