



Kkalpana Industries (India) Limited

Date: 08th February, 2019.

To,
The Manager,
Listing Department,
Bombay Stock Exchange Limited (Designated Stock Exchange),
PJ Towers, Dalal Street,
Mumbai - 400 001.

Fax: 022 - 2272 3121/2037/39/41/61/1072

Sub: Intimation of Loss of Share Certificate/ Issue of Duplicate Share Certificate

Ref: Regulation 39(3) of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015

Dear Sir,

This is to inform you that, pursuant to Regulation 39(3) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, the Company has received request for issue of duplicate share certificates against the certificate reported to be lost/misplaced as per details given below:

Sr. No.	Name of the Shareholder	Folio No.	Original Certificate No.	Distinctive Nos.	No. of Shares
1.	Srinivasarao Ravuri	S003313	3425	2494871 TO 2495370	500 equity shares of Rs.2/- each

Objection, if any, against issue of duplicate share certificate should be lodged to us at given address or M/s C.B. Management Services Pvt. Ltd, RTA of the Company, P-22, Bondel Road, Kolkata – 700019, within 15 days from the date of this letter; after which we shall initiate the process of issue of duplicate share certificates.

Members are cautioned not to deal in or make any transaction with reference to these shares during this period.

Kindly take the above information on record and oblige.

Thanking You,

Yours faithfully,

For Kkalpana Industries (India) Limited

Tanvi Panday
Tanvi Panday (Membership No. ACS 31176)
Company Secretary



CC:-

1. The Calcutta Stock Exchange Limited, 7, Lyons Range, Calcutta - 700 001.

Regd. Office : 2B, Pretoria Street, Kolkata - 700 071

Tel. : +91-33-2282 3744/45/3671/99, Fax : +91-33-2282 3739, E-mail : kolkata@kkalpana.co.in

Mumbai Office : 106, Laxmi Plaza, Laxmi Industrial Estate, New Link Road, Andheri (West), Mumbai - 400 053, India
Tel.: +91-22-67021470/71/72, Fax : +91-22-6702 1473 E-mail : mumbai@kkalpana.co.in

www.kkalpanagroup.com

CIN : L19202WB1985PLC039431