

## December 20, 2022

**BSE Limited** 

Department of Corporate Services
Floor 25, Phiroze Jeejeebhoy Towers,
Dalal Street,
Mumbai 400 001
Scrip Code No: 542665

National Stock Exchange of India Comited Listing Department, Exchange Plaza, Bandra Kurla Complex, Bandra (East), Mumbai – 400 051 Company Symbol: NEOGEN

Standard Chartered Bank

Sub- Intimation of Credit Rating.

Dear Sir/Madam,

Pursuant to Regulation 30 read with Schedule III of SEBI (Listing Obligations and Disclosure Requirements)
Regulations, 2015 ("the Regulation"), we would like to inform that based on ratings received from ICRA Limited,
the Credit Rating of the Company for the debt instruments; ribiting of the Company is as under:

## Rating Action

Instrument/ Facility	Rating			
Total amount of Bank Facilities Rated	Rs. 725 crores ICRA A (Stable)			
Long Term Rating				
Short Term Rating	ICRA A2+			

Credit Rating	Bar	k Facilities	В	ank		Rat	ing			
Agency		Long Term Fund Based Limit- Term Loan		ed HDFC Bank Limited Citibank N.A. Axis Bank Limited Kotak Mahindra Bank Limited		ICRA A (Stable)				
						ICRA A (Stable)				
							ICRA A (Stable)			
ICRA				State Bank of India		ICRA A (Stable)				
				DBS Bank India Limited		1CR/	ICRA A (Stable)			
Fund based W Cash Credit		Fund base	und based WC Limits/ HDFC Bank l		Limited YCRA A (S		YCRA A (Sta	sble)		
					imited		ICRA A (Stable)			
				Kotak Mahindra Bank Lim ort Term Fund/ Non- Standard Cha		ited	ICRA A (Sta	ible)		
			Short			rrtered Ballik 1172		TEMPONE?		
-			Fund-	und Based Limit -Others		Citibank N.A.			ICRA A2+	
			the state of the s	Term N	State Bank of India		ICRA A2+			

Tong Term/ Short Term unanticated Tunno -- llegated limits (CRA A (Stable Intermediate Intermediate) | Intermediate Interm

Based - Others

Thanking You,

For Neogen Chemicals Limited

CHEMIO

& Compliance Officer

rpora, Cadoury Junction,

W) 400 601 India.

Unnati Kanani Company Secre Membership N Place: Thane

Registered office 1002, De Eastern Express Highway, The CIN No. L24200MH1989PLC0

ICRA A2+

ICRA A (Stable)/ ICRA A2+

19